West of Scotland ORAL/ OTHER ROUTE Drug Monographs

FUSIDIC ACID

FORM Viscous drops(Eye drops) 1%

INDICATION Eye infections where sensitivities indicate use

Eradication of nasal carriage of Staphylococcus Aureus

DOSE RANGE - ophthalmic use

AGE	DOSE	FREQUENCY	ROUTE
Birth-6months	1 drop into the eyel	Every 12hours	Topical

DOSE RANGE - nasal use

AGE	DOSE	FREQUENCY	ROUTE
Birth-6months	1 application to each nostril	Every 8 hours	intranasal

CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS

- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

FURTHER INFORMATION When used nasally

Apply a small quantity to the inside of each nostril using a cotton bud. Massage the side of each nostril to allow spread within the nostrils.

STORAGE

LICENSED STATUS Nasal use Unlicensed route and indication-eye preparation being used in

nose

LINKS BNF for Children: / Electronic Medicines Compendium

APPLICABLE POLICIES West of Scotland Neonatal Guidelines:

Consult local policy if applicable

Document Number:	001	Supersedes:	Nil
Prepared by:	Maria Tracey	Checked by	June Grant
Date prepared	APR 2019	Date updated	February 2020
Updated by	Peter Mulholland	Review Date	February 2023

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications. This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.

Neonatal