

Sodium Bicarbonate

FORM Oral solution 8.4% containing 1mmol/ml

INDICATION Treatment of renal acidosis

DOSE RANGE

AGE	DOSE	FREQUENCY	ROUTE
Birth-6months	1mmol/kg	3-4 times daily Adjust dose according to blood results	oral

CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS

- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

FURTHER INFORMATION Injection can be given orally

STORAGE Once opened, store in a fridge and discard after 7 days

LICENSED STATUS Unlicensed product

LINKS [BNF for Children:](#) / [Electronic Medicines Compendium](#)

APPLICABLE POLICIES [West of Scotland Neonatal Guidelines:](#)

Consult local policy if applicable

Document Number:	001	Supersedes:	Nil
Prepared by:	Maria Tracey/Lauren Williams	Checked by	WoS Neonatal Pharmacists
Date prepared	January 2020	Date updated	
Updated by		Review Date	January 2023

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications.
This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.