

Thiamine

FORM 100mg/5ml liquid, 50mg tablets

INDICATION Congenital lactic acidosis

DOSE RANGE

AGE	DOSE	FREQUENCY	ROUTE
Birth – 6 months	50 – 200mg	ONCE daily	Oral

CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS

- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

FURTHER INFORMATION If using tablets, crush and disperse in suitable volume of liquid and give appropriate volume for dose

LICENSED STATUS Unlicensed extemporaneous product

LINKS [BNF for Children:](#) / [Electronic Medicines Compendium](#)

APPLICABLE POLICIES [West of Scotland Neonatal Guidelines:](#)

Consult local policy if applicable

Document Number:	002	Supersedes:	001
Prepared by:	Peter Mulholland	Checked by	Wos Neonatal Pharmacists
Date prepared	November 2017	Date updated	October 2021
Updated by	Peter Mulholland	Review Date	October 2024

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications. This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.